



Dell Monitors

FOR BUSINESS




SEE EVERYTHING. DO ANYTHING.

Redefine your workspace with Dell Monitors. Unmatched collaboration features, amazing color precision and innovative front of screen technology are just some of the ways we are leading the pack.

Dell Monitors — World's #1 monitor company*

An expansive range

OUR NEW LINE OF DELL COMMERCIAL MONITORS DELIVER FORWARD THINKING DESIGN AND TECHNOLOGY WITH INNOVATIONS THAT MAXIMIZE EMPLOYEE PRODUCTIVITY AND COLLABORATION.



MONITORS BOOST BUSINESS

96% of workers consider monitors the most important feature of their workspace.¹



REMOTE WORK IS HERE TO STAY

67% of companies will extend remote working arrangements in the long run.²



WORKING FROM HOME

70% of organizations are allowing employees to request for an extra monitor to be shipped to their homes.³



FEATURES MATTER

Adding a 27" monitor equipped with Easy Arrange from Dell Display Manager along with a keyboard and mouse can increase productivity by 37.7%.⁴



UltraSharp

Top-tier monitors, crafted with innovative design and technology for the ultimate performance. UltraSharp PremierColor range feature tools for color critical tasks.



P Series

Enhance work performance with these reliable monitors packed with features designed to boost productivity.



E Series

Built to handle everyday challenges, these affordable monitors help drive business efficiency and keep you on budget.



C Series


Experience world class collaboration with large format monitors, video conferencing technology and complete conference room ecosystems.

Why choose Dell Monitors



INNOVATIVE

Dell has been at the forefront of innovation to bring the best of display technologies to our customers — from the ultimate in resolution, contrast and color, to immersive user experiences and unmatched usability.



DESIGNED FOR PRODUCTIVITY

Dell monitors are designed to help enhance productivity with multitasking and comfort features, larger screen sizes, future proof connectivity and more. All the reasons to refresh today with Dell monitors.



AWARD-WINNING

Multiple awards and excellent reviews for our monitors stem from around the globe coming from leading computing magazines, online portals and consumers alike.

4 out of 5 Fortune 500 companies⁵ use Dell monitors showing that our customers vouch for quality, performance and usability of our displays.



RELIABLE

Enjoy peace of mind with the commitment to quality, reliability and service that you expect from Dell — demonstrated through an exhaustive testing regimen, and backed by our 3-year Advanced Exchange Service** and Premium Panel Exchange*** (available with Dell UltraSharp and P Series monitors).



ENVIRONMENTALLY RESPONSIBLE

Dell monitors conform to environmental certifications and are made with and shipped in environmentally-conscious materials. Built-in energy-efficient features in select monitors can help you save on power consumption, so you can be proud of the environmentally-responsible choice you make.

Dell Monitors Portfolio Matrix

DELL ULTRASHARP MONITORS

DELL MONITORS

UltraSharp and UltraSharp PremierColor

Delivering the ultimate screen performance and user experience through innovation



P Series

Drive business efficiency with reliable monitors packed with productivity enhancing features



E Series

Affordable with essential features for everyday use



C Series

Purpose-built monitors for collaboration on your desk, at the office or anything in between



SCREEN PERFORMANCE

- FHD, QHD, 4K, 5K2K and 8K resolution
- Sizes from 24" to 49"
- Wide color coverage across industry standards, such as AdobeRGB, DCI-P3, sRGB, Rec. 709, and Rec. 2020.
- Brilliant color, contrast and clarity with VESA Certified DisplayHDR™ monitors

- HD+, Full HD, QHD and 4K resolution
- Wide selection of sizes from 19" to 34"

- HD, HD+ and Full HD resolution
- Sizes from 17" to 27"

- Monitor solutions for group and desktop collaboration with sizes from 24" to 86"
- Up to WQHD resolution for desktop conferencing and 4K for large format monitors Interactive touch options
- Exceptional onscreen clarity, vivid visuals and crisp, clear text

DESIGNED FOR PRODUCTIVITY

- Immersive curved monitor options
- Virtually borderless InfinityEdge design
- ComfortView Plus / ComfortView, Flicker-Free screen
- KVM/PIP/PBP features
- Dell Display Manager for multi-tasking

- 3 sided narrow bezel for multi-monitor setup
- Dell Display Manager for multi-tasking
- ComfortView Plus/ ComfortView, Flicker-free screen
- KVM/PIP/PBP features

- Integrated speakers
- ComfortView, Flicker-free screen
- Dell Display Manager for multi-tasking

- Network management for easy IT support and asset management
- Meeting room solutions include compute hardware that is pre-installed with chosen collaboration software, audio/video from Logitech and Dell Large Format Monitors.

CONNECTIVITY AND ADJUSTABILITY

- Widest range of digital connectivity including Thunderbolt™ 3, RJ45 and USB-C connectivity with up to 90W of power delivery.
- Fully adjustable with pivot, tilt, swivel and height adjustability

- Wide range of connectivity options including RJ45, USB-C connectivity with up to 65W of power delivery, HDMI and DP 1.2.
- Fully adjustable with pivot, tilt, swivel and height adjustability

- Compatible with legacy and current systems via VGA, DisplayPort or HDMI connectivity
- Tilt adjustability, basic height adjustability

- Connect to virtually any device with wireless and wired options — compatible with most PCs
- Includes DP 1.2, HDMI, RS323, RJ45, USB-C with up to 90W of power delivery

Some features are only available on select models.

Dell UltraSharp

Discover unmatched performance, cutting-edge design and ultimate user experience with Dell's award-winning **UltraSharp monitors**. Featuring our best in color and monitor technology, Dell UltraSharp and UltraSharp PremierColor monitors spectacular front of screen performance with high resolution clarity and accurate color with a wide color coverage. Options include ultra wide curved screens, Thunderbolt™ 3, USB-C® and RJ45 (Ethernet) connectivity, built-in colorimeter, and VESA Certified DisplayHDR™.



Dell UltraSharp PremierColor Monitors set the standard for Digital Creators. Engineered to meet the demands of creative professionals, these state-of-the-art monitors feature ultra high resolution screens — up to UHD 8K, precise color with a wide coverage across industry standards, incredible color depth of 1.07 billion colors, amazing contrast and powerful calibration capabilities. All the tools you need for your color-critical projects.

1 AMAZINGLY WIDE COLOR COVERAGE

Get a wide color coverage across all professional color spaces (AdobeRGB, DCI-P3, sRGB, Rec. 709, and Rec. 2020) for a broad spectrum of immaculate, unwavering colors. Our latest addition, UP3221Q, features a near 100% coverage of the DCI-P3 color space — 99.8% DCI-P3, and offers ultimate contrast with 2K mini LED direct backlit dimming zones.

2



INCREDIBLE COLOR DEPTH

Experience a high level of detail — even in dark areas — with an incredible color depth of 1.07 billion colors. That's 64 times more color than standard monitors for better color gradation and precision across more shades and colors.

3

POWERFUL COLOR CALIBRATION TOOLS & LOOK-UP TABLE

Stay on task with scheduled, automated color calibration using the Calman® Powered (UP3221Q) and Calman Ready (UP2720Q) built-in colorimeter. You can also use compatible external colorimeters (sold separately)⁶, as well as tweak color parameters according to proprietary colors with the SDK.⁷ Fine-tune colors with the Custom Color mode, or make further adjustments with the user-accessible hardware look-up table (LUT).



4



PRECISE COLOR, RIGHT OUT OF THE BOX

Each monitor is factory color calibrated and comes with a complete factory calibration report, giving you the confidence that colors will be impressively accurate right from the start.

Dell UltraSharp PremierColor Monitors

UP SERIES

Our high performance **Dell UltraSharp PremierColor Monitors** offer color professionals the ideal tools for their color-critical projects. See visuals that rival real life in impeccable **Ultra HD 8K** and dazzling **4K** resolution. Get accurate color with scheduled or on demand color calibration with our monitor that comes with a **built-in colorimeter**. With our **4K HDR⁸ Monitor** you'll view, edit and create stunningly realistic images in HDR10⁸ with lifelike colors, exceptional clarity and striking details.



UP3221Q

Dell UltraSharp 32 HDR PremierColor Monitor

Create phenomenal 4K HDR content on this monitor with 2K mini-LED direct backlit dimming zones, Calman® Powered built-in colorimeter and 99.8% DCI-P3.



UP2720Q

Dell UltraSharp 27 4K PremierColor Monitor

Unleash your creativity with precise color and clarity on this 4K monitor with built-in colorimeter and Thunderbolt™ 3

27 inches / 68.47 cm

4K (3840 x 2160 at 60Hz)

16:9

In-Plane Switching (IPS) technology, Anti-glare LED

CIE1931 Adobe RGB 100%, CIE DCI-P3 98%, CIE1976 BT.2020 80%.

1 x DisplayPort 1.4 (HDCP 2.2), 2 x HDMI 2.0 (HDCP 2.2), 1 x Thunderbolt™ 3 Upstream port (DisplayPort 1.4), 1 x Thunderbolt™ 3 Downstream port (DisplayPort 1.4), 2 x USB 3.2 Gen 2 Downstream port, 2 x USB 3.2 Gen 1 Downstream port (1 x BC 1.2 charging capability at 2A (max))

Height-adjustable (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Calman® Ready built-in colorimeter (requires purchase of Calman® software), Shading Hood included, Picture-by-Picture, Premium Panel Exchange

Viewable Image Size (inches / cm)

Maximum Resolution

Aspect Ratio

Panel Type, Surface

Backlight Technology

Color Gamut

Connectivity

31.5 inches / 80.00 cm

4K (3840 x 2160 at 60Hz)

16:9

In-Plane Switching (IPS) technology, Advanced Anti-glare treatment

Mini LED backlight

CIE1931 Adobe RGB 93%, CIE1976 DCI-P3 99.8%, CIE1976 BT.2020 83%

1 x DP 1.4 (HDCP 2.2), 2 x HDMI 2.0 (HDCP 2.2), 1 x Thunderbolt™ 3 upstream port (DP 1.4) - Power Delivery up to 90W, 1 x Thunderbolt™ 3 downstream port (DP1.4) Power Delivery up to 15W, 2 x SuperSpeed USB 5/10Gbps (USB 3.2 Gen 1/2) downstream port, 1 x External Colorimeter port (Does not support standard USB Devices)

Height-adjustability (160 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Calman® Powered built-in colorimeter, VESA Certified DisplayHDR™ 1000, Shading Hood included, Picture-by-Picture, Premium Panel Exchange

Design Features

Adjustability

Other

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp PremierColor Monitors

UP SERIES



UP3218K Dell UltraSharp 32 8K Monitor

Visuals that rival real life

Viewable Image Size (inches / cm)	31.5 inches / 80.01 cm
Maximum Resolution	8K (7680 x 4320 at 60Hz); 280 ppi
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-Reflective
Backlight Technology	LED
Color Gamut	100% AdobeRGB, 100% sRGB, 100% Rec.709, 98% DCI-P3
Connectivity	2 x DisplayPort 1.4, 1 x USB 3.0 port - Upstream, 4 x USB 3.0 ports - Bottom (including 1 x USB 3.0 BC1.2 charging port), Audio line-out

Design Features	
Adjustability	Height-adjustable (120 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	InfinityEdge, TÜV-Certified flicker-free screen with ComfortView [®] , Premium Panel Exchange



UP3017 Dell UltraSharp 30 Monitor with PremierColor

Exceptional color performance with Dell PremierColor — all the tools you need for color-critical projects

Viewable Image Size (inches / cm)	30 inches / 75.62 cm
Maximum Resolution	WQXGA (2560 x 1600 at 60Hz)
Aspect Ratio	16:10
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Color Gamut	99% AdobeRGB, 99% sRGB, 99% Rec.709, 99% DCI-P3
Connectivity	DisplayPort 1.2 (HDCP 1.4), mini-DisplayPort (HDCP 1.4), DisplayPort 1.2 (out) with MST (HDCP 1.4), 2 x HDMI 1.4 (HDCP 1.4), 2 x USB 3.0, 2 x USB 3.0 with BC1.2 charging capability at 2A, 2 x USB 3.0 upstream ports, 1 x Analog 2.0 audio line out (3.5mm jack)

Design Features	
Adjustability	Height-adjustable (150 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Built-in KVM (Keyboard, Video, Mouse), Picture-in-Picture, Picture-by-Picture, TÜV-Certified flicker-free screen with ComfortView [®] , Premium Panel Exchange



UP2716D Dell UltraSharp 27 Monitor with PremierColor

Brilliant visuals with QHD resolution and Dell PremierColor — all the tools you need for color-critical projects

Viewable Image Size (inches / cm)	27 inches / 68.47 cm
Maximum Resolution	QHD (2560 x 1440 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	WLED
Color Gamut	100% AdobeRGB, 100% sRGB, 100% Rec.709, 98% DCI-P3
Connectivity	HDMI 1.4/ MHL 2.0 x 2, DisplayPort 1.2 (in)/ mini-DisplayPort, DisplayPort (out), 4 x USB 3.0 ports

Design Features	
Adjustability	Height-adjustable (130 mm), swivel, tilt, pivot
Other	Ultra-thin bezel; built-in KVM (Keyboard, Video, Mouse), Picture-in-Picture, Picture-by-Picture, Flicker-free screen, Premium Panel Exchange

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Curved Monitors

U SERIES

Experience immersive productivity and a panoramic viewing experience on these ultra wide **Dell UltraSharp Curved Monitors**, designed for multitasking. See more with a wider onscreen space and gain efficiencies with features that allow you to work on content from 2 PCs at the same time†. Curved monitors offer a wider field of view and reduce eye movement across the screen for a comfortable, immersive experience. Replace a dual monitor set up with a stylish Dell UltraSharp Curved monitor today!



U4919DW
Dell UltraSharp 49 Curved Monitor

Revolutionary 49" curved dual QHD monitor for an immersive work experience

Viewable Image Size (inches / cm)	49 inches / 124.46 cm
Maximum Resolution	Dual QHD (5120 x 1440 at 60Hz)
Aspect Ratio	32:9
Curve Radius	3800R
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	White LED Edgelight System
Color Gamut	99% sRGB
Connectivity	2 x HDMI 2.0 (HDCP 2.2) (10-bit color @ 60Hz), 1 x DisplayPort 1.4 (HDCP 2.2) (10-bit color @ 60Hz), 5 x USB 3.0 Downstream port, 2 x USB 3.0 Upstream port, 1 x USB Type-C® (Alternate mode with DisplayPort 1.4, Power Delivery up to 90W, and USB 2.0) (8-bit color @ 60Hz)

Design Features

Adjustability	Height-adjustable (90 mm), swivel, tilt
Other	Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with ComfortView®, Premium Panel Exchange



U4021QW
Dell UltraSharp 40 Curved WUHD Monitor

Redefine productivity with immersive clarity and accuracy on this 40" ultrawide curved WUHD monitor.

Viewable Image Size (inches / cm)	39.7 inches / 100.85 cm
Maximum Resolution	WUHD (5120 x 2160 at 60Hz)
Aspect Ratio	21:9
Curve Radius	2500R
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	LED
Color Gamut	100% sRGB, 100% Rec. 709 and 98% DCI-P3
Connectivity	1 x DP 1.4 (HDCP 2.2) (10 bit Color @ 60Hz), 2 x HDMI 2.0 (HDCP 2.2) (10 bit Color @ 30Hz), 1 x Thunderbolt™ 3 (Alternate Mode with DisplayPort 1.4, super speed USB 10Gbps (USB 3.2 Gen2) upstream, Power Delivery up to 90W), certified for Windows® and Mac®, 1 x USB Type-B upstream port, 1 x USB Type-C downstream port, super speed USB 3.2 Gen2 with charging capability of 15W (max), 4 x super speed USB Type-A 10Gbps (USB 3.2 Gen2) ports, 1 x super speed USB Type-A 10Gbps (USB 3.2 Gen2) with BC1.2 charging capability at 2A (max), 1 x Audio line-out port (3.5mm jack), 1 x RJ45 port

Adjustability	Height-adjustable (120 mm), swivel, tilt
Other	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), Thunderbolt™ 3 (up to 90W power delivery), TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus®, Premium Panel Exchange

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Curved Monitors

U SERIES



U3821DW Dell UltraSharp 38 Curved USB-C Hub Monitor

Stay ahead of the curve with connected productivity and vivid WQHD+ clarity.

Viewable Image Size (inches / cm)	37.52 inches / 95.29 cm
Maximum Resolution	WQHD+ (3840 x 1600 at 60Hz)
Aspect Ratio	21:9
Curve Radius	2300R
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	White LED edgelight system
Color Gamut	100% sRGB, 100% Rec.709, 95% DCI-P3
Connectivity	1 x DP 1.4, 2 x HDMI 2.0, 1 x USB Type-C (Alternate Mode with DisplayPort 1.4, USB 3.1 upstream, Power Delivery up to 90W), 1 x super speed USB 5Gbps (USB 3.2 Gen 1) Type-B upstream port, 3 x super speed USB 5Gbps (USB 3.2 Gen1) downstream ports, 1 x super speed USB 5Gbps (USB 3.2 Gen1) with BC1.2 charging capability at 2A (maximum), 1 x USB Type-C downstream port with charging capability of 15W (maximum), 1 x Audio line-out port, 1 x RJ45 port
Design Features	
Adjustability	Height-adjustable (120 mm), swivel, tilt, slant adjust (-4° to 4°)
Other	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with ComfortView [®] , Premium Panel Exchange



U3421WE Dell UltraSharp 34 Curved USB-C Hub Monitor


Discover immersive productivity with WQHD resolution, accurate color and extensive connectivity, including RJ45 and USB-C.

Viewable Image Size (inches / cm)	34.14 inches / 86.72 cm
Maximum Resolution	WQHD (3440 x 1440 at 60 Hz)
Aspect Ratio	21:9
Curve Radius	1900R
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	White LED Edgelight system
Color Gamut	99% sRGB, 99% Rec.709, 95% DCI-P3
Connectivity	2 x DP 1.4, 2 x HDMI 2.0, 1 x USB Type-C (Alternate Mode with Display Port 1.4, USB, 3.1 Upstream, Power delivery up to 90W), 1 x USB Type-C Downstream Port with charging capability (15W Max.), 1 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) Type-B upstream port, 1 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) with BC1.2 charging capability at 2A (maximum), 3 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port, 1 x Audio line-out port, 1 x RJ45 Port
Design Features	
Adjustability	Height-adjustable (150 mm), swivel, tilt
Other	Integrated 2 x 5W speakers, Picture-by-Picture, Picture-in-Picture, built-in KVM (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with ComfortView [®] , Premium Panel Exchange

Experience immersive productivity and lose yourself in all encompassing views with Dell Curved Monitors, from the world's #1 monitor company*.

The curved screen **optimizes your field of view**, covering both primary and peripheral vision.

IPS panel technology for **consistent colors** across an ultra-wide viewing angle.



Enhance your senses with amazing visual and audio clarity (built-in speakers available in select models).

Near uniform visual focus enables **a comfortable viewing experience with less eye movement** vs a flat screen.

Enjoy **great visual clarity** with **minimal reflection** from ambient light.

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors

U SERIES


See your work come alive with spectacular screen performance. Boost productivity with outstanding high resolution clarity that lets you see more content on screen. Experience exceptional color accuracy with a wide color coverage, including 99% sRGB, 99% Rec. 709 and 95% DCI-P3†. With approximately 25% larger color coverage than sRGB, DCI-P3 is becoming a color standard when creating and viewing content. Added productivity features include virtually borderless InfinityEdge, convenient USB-C and RJ45 Ethernet connectivity, space saving designs with adjustable stands, flicker-free screens with ComfortView, and Dell Display Manager software to optimize comfort and maximize productivity.



U4320Q
Dell UltraSharp 43 4K USB-C Monitor

The power to view content from 4 connected PCs on an expansive, height adjustable 42.5 4k monitor

Viewable Image Size (inches / cm)	42.51 inches / 107.98 cm
Maximum Resolution	3840 x 2160 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Color Gamut	96% sRGB
Connectivity	2 x DisplayPort 1.4 (HDCP 2.2), 2 x HDMI 2.0, 1 x USB Type-C (Alternate Mode with DisplayPort 1.4, USB 3.1 Upstream Port, Power Delivery up to 90W), 1 x Analog 2.0 Audio Line out (3.5 mm Jack), 2 x USB A, USB 3.1 Gen 1 (5Gbps), 1 x USB 3.1 with B.C charging adaptability of 2A (Max), 1 x USB Type-C Downstream (15W), USB 3.1 Gen 1 (5Gbps)
Design Features	
Adjustability	Height-adjustable stand (60 mm), swivel (-20° to 20°), tilt (-5° to 10°)
Other	Connect up to 4 independent sources and view all content onscreen using Picture-by-Picture, Picture-in-Picture, USB-C connectivity (up to 90W), Premium Panel Exchange



U3219Q
Dell UltraSharp 32 4K USB-C Monitor

Brilliant color and clarity with 4K resolution and VESA certified DisplayHDR™ 400

Viewable Image Size (inches / cm)	31.5 inches / 80 cm
Maximum Resolution	4K (3840 x 2160 at 60 Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED Edgelight System
Color Gamut	99% sRGB, 95% DCI-P3, 99% Rec.709
Connectivity	1 x DisplayPort 1.4 (HDCP 2.2), 1 x HDMI 2.0 (HDCP 2.2), 1 x USB Type-C port (Alternate mode with DisplayPort 1.4, Power Delivery, and USB 2.0), 1 x USB 3.0 upstream port, 2 x USB 3.0 downstream port (rear), 2 x USB with BC1.2 charging capability at 2A (maximum) (side)
Design Features	
Adjustability	Height-adjustable (150 mm), swivel, tilt and pivot (clockwise and counter-clockwise)
Other	InfinityEdge, Picture-by-Picture, Picture-in-Picture, KVM (Keyboard, Video, Mouse), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with ComfortView®, Premium Panel Exchange

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors

U SERIES



VESA CERTIFIED
DisplayHDR™ 400



U2720Q

Dell UltraSharp 27 4K USB-C Monitor

Experience exceptional, true color and striking clarity on this 4K monitor with a wide color coverage, including 99% sRGB, 99% Rec. 709 and 95% DCI-P3

Viewable Image Size (inches / cm)	27 inches / 68.47 cm
Maximum Resolution	4K (3840 x 2160 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Color Gamut	99% sRGB, 99% Rec. 709 and 95% DCI-P3
Connectivity	1 x DisplayPort 1.4 (HDCP 1.4/ HDCP 1.2), 1 x HDMI 2.0 (HDCP 1.4/ HDCP 1.2), 1 x USB Type-C (Alternate Mode with DisplayPort 1.4, USB 3.1 upstream port, Power Delivery up to 90W), 2 x USB 3.0 Downstream ports, 1 x USB 3.0 with B.C 1.2 charging adaptability of 2 A (Max), 1 x Analog 2.0 Audio Line out (3.5 mm Jack), 1 x USB Type-C Downstream charging port with charging capability up to 3 A (Max)
USB Ports: rear/side	

Design Features

Adjustability	Height-adjustable (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Supports HDR content playback. InfinityEdge, TÜV-Certified flicker-free screen with ComfortView®, USB-C connectivity (up to 90W power delivery), Premium Panel Exchange



U2722DE

Dell UltraSharp 27 USB-C Hub Monitor

Take your work to new heights with QHD clarity and brilliant color coverage. Optimize eye comfort with ComfortView Plus and maximize efficiency with connected hub productivity.

Viewable Image Size (inches / cm)	27 inches / 68.47 cm
Maximum Resolution	2560 x 1440 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	LED
Color Gamut	100% sRGB, 100% Rec.709, 95% DCI-P3
Connectivity	1 x DP 1.4 (HDCP 1.4), 1 x HDMI 1.4, 1 x USB-C (DP 1.4, Power Delivery up to 90W, 2/4 Lanes switch USB 3.2 Gen2 10Gbps) upstream port, 1 x USB-C (USB 3.2 Gen2, 10Gbps) upstream port, data only, 1 x DisplayPort (out), 3 x super speed USB-A (USB 3.2 Gen2, 10Gbps) downstream ports, 1 x super speed USB-A (USB 3.2 Gen2, 10Gbps) with B.C 1.2, 1 x USB-C (USB 3.2 Gen2, 10Gbps, Up to 15W charging) downstream port, 1 x Analog 2.0 audio line out (3.5mm jack), 1 x RJ45 Port

Design Features	Height-adjustable (150 mm), swivel, tilt and pivot (clockwise and counter-clockwise)
Adjustability	InfinityEdge, Picture-by-Picture, Picture-in-Picture, built-in KVM, (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus®, Premium Panel Exchange
Other	



U2722D

Dell UltraSharp 27 Monitor

Take your work to new heights with QHD clarity and brilliant color coverage. Optimize eye comfort with ComfortView Plus and get fast connectivity.

Viewable Image Size (inches / cm)	27 inches / 68.47 cm
Maximum Resolution	2560 x 1440 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	LED
Color Gamut	100% sRGB, 100% Rec.709, 95% DCI-P3
Connectivity	1 x DP 1.4 (HDCP 1.4), 1 x HDMI 1.4, 1 x USB-C (USB 3.2 Gen2, 10Gbps) upstream port, data only, 1 x DP (Out), 2 x super speed USB-A (USB 3.2 Gen2, 10Gbps) downstream ports, 1 x super speed USB-A (USB 3.2 Gen2, 10Gbps) with B.C 1.2, 1 x USB-C (USB 3.2 Gen2, 10Gbps, Up to 15W charging) downstream port, 1 x Analog 2.0 audio line out (3.5mm jack)
USB Ports: rear/side	

Design Features

Adjustability	Height-adjustable (150 mm), swivel, tilt and pivot (clockwise and counter-clockwise)
Other	InfinityEdge, Picture-by-Picture, Picture-in-Picture, RJ45 port (Ethernet connectivity), TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus®, Premium Panel Exchange



VESA CERTIFIED
DisplayHDR™ 400



U2520D

Dell UltraSharp 25 USB-C Monitor

Get true accurate color on this 25" QHD monitor with a wide color coverage, including 99% sRGB, 99% Rec. 709 and 95% DCI-P3

Viewable Image Size (inches / cm)	25 inches / 63.44 cm
Maximum Resolution	QHD (2560 x 1440 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Color Gamut	99% sRGB, 99% Rec.709, 95% DCI-P3
Connectivity	1 x DisplayPort 1.4, 1 x DisplayPort (out) with MST, 1 x HDMI 2.0, 1 x USB Type-C (Alternate Mode with DisplayPort 1.4, Power Delivery up to 90W), 1 x USB Type-C Downstream charging port with charging capability up to 3 A (Max), 1 x USB 3.0 with B.C 1.2 charging adaptability of 2 A (Max), 2 x USB 3.0 Downstream ports, 1 x Analog 2.0 Audio Line Out

Design Features	Height-adjustable (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Adjustability	Supports HDR content playback. InfinityEdge, TÜV-Certified flicker-free screen with ComfortView®, USB-C connectivity (up to 90W power delivery), Premium Panel Exchange
Other	

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors

U SERIES



U2422HE

Dell UltraSharp 24 USB-C Hub Monitor

Take your work to new heights with brilliant color coverage. Optimize eye comfort with always-on built-in ComfortView Plus and maximize efficiency with connected hub connectivity.

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	White LED Edgelight System
Color Gamut	
Connectivity	1 x DP 1.4, 1 x HDMI 1.4, 1 x DisplayPort (out) with MST, 1 x USB Type-C upstream port (Alternate mode with DisplayPort 1.4, Power Delivery up to 90W), 1 x USB Type-C upstream port (data only 10Gbps USB 3.2 Gen2), 1 x USB Type-C downstream port with charging capability at 15W (max), 1 x super speed USB 10Gbps with BC1.2 charging capability at 2A (max), 3 x super speed USB 10Gbps (USB 3.2 Gen2) downstream port, 1 x audio line-out port, 1 x RJ45 port
USB Ports: rear/side	
Design Features	
Adjustability	Height-adjustable stand (150 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	InfinityEdge, built-in KVM, (Keyboard, Video, Mouse), Auto KVM, RJ45 port (Ethernet connectivity), USB-C connectivity (up to 90W power delivery), TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus®, Premium Panel Exchange



U2422H

Dell UltraSharp 24 Monitor

Take your work to new heights with brilliant color coverage. Optimize eye comfort with always-on built-in ComfortView Plus and get fast connectivity.

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching Technology, Anti-glare treatment of the front polarizer (3H) hard coating
Backlight Technology	White LED Edgelight System
Color Gamut	100% sRGB, 100% Rec.709, 85% DCI-P3
Connectivity	1 x DP 1.4, 1 x HDMI 1.4, 1 x DisplayPort (out) with MST, 1 x USB Type-C upstream port (data only 10Gbps USB 3.2 Gen2), 1 x USB Type-C downstream port with charging capability at 15W (max), 1 x super speed USB 10Gbps with BC1.2 charging capability at 2A (max), 2 x super speed USB 10Gbps (USB 3.2 Gen2) downstream port, 1 x audio line-out port
Design Features	
Adjustability	Height-adjustable stand (150 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	InfinityEdge, TÜV-Certified flicker-free screen with always-on built-in ComfortView Plus®, Premium Panel Exchange



U2421E

Dell UltraSharp 24 USB-C Hub Monitor

Experience vibrant color and reduced harmful blue light emissions with ComfortView Plus, a built-in low blue light screen. Features USB-C® and RJ45 (Ethernet) connectivity.

Viewable Image Size (inches / cm)	24.1 inches / 61.1 cm
Maximum Resolution	WUXGA (1920 x 1200 at 60Hz)
Aspect Ratio	16:10
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Color Gamut	99% sRGB, 99% Rec. 709
Connectivity	1 x DP 1.4 (HDCP 1.4), 1 x HDMI 1.4 (HDCP 1.4), 1 x USB Type-C (Alternate mode with DisplayPort 1.4, USB 3.2 Gen1 upstream port, Power delivery up to 90W), 1 x USB Type-C downstream (15W), USB 3.2 Gen1 (5Gbps), 1 x DP (Out) with MST, 2 x SuperSpeed USB 5Gbps (USB 3.2 Gen1), 1 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) with BC1.2 charging capability at 2A (max), 1 x Analog 2.0 audio line out (3.5 mm jack), 1 x RJ45
USB Ports: rear/side	
Design Features	
Adjustability	Height-adjustable (150 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	TÜV-Certified ComfortView Plus® — an always on built-in low blue light screen, USB-C connectivity (up to 90W power delivery), Ethernet (RJ45) connectivity, Premium Panel Exchange

Product availability varies by country. Please contact your Dell representative for more information.

Dell C Series Monitors

Collaboration has never been more important. The transformation of the way we work has further been accelerated and companies are left with no choice but to embrace digitalization. Companies are starting to evaluate and reform.

ENABLING A COLLABORATIVE, FLEXIBLE WORKFORCE



67% of decision makers say that they will be extending remote working arrangements for some employees.¹⁰



46% of organizations will be increasing the number of meeting rooms to allow on site workers to collaborate more effectively with their remote coworkers or clients.¹⁰

Experience world class collaboration in any meeting space with Dell C Series Monitors. We have screen solutions ranging from desktop video conferencing, on-the-go collaboration, to complete meeting space ecosystems.



Dell Large Format Monitors

Captivate your audience with Large Format Monitors with the latest touch technology, available in multiple sizes and with up to 4K resolution.



Dell Meeting Space Solutions

Simplify meetings with a complete range of hardware and software conference room products that enhance collaboration in any meeting space.



Dell Video Conferencing Monitors

Collaborate like you're there with built-in 5MP cameras, integrated speakers, noise-canceling mic and a dedicated Microsoft Teams button to collaborate instantly.



Dell Portable Monitors

Experience dual-screen productivity anywhere with Dell portable monitors. Built to be the ultimate laptop companion, these monitors are designed to be ultrathin and ultralight for easy travel and portability.

Product availability varies by country. Please contact your Dell representative for more information.

Dell Large Format Monitors

DELL C SERIES MONITORS

Dell's **Large Format Monitors** are designed to make it easy for you to connect, present and collaborate. From capturing real-time collaboration in the conference room to broadcasting presentations to an entire organization, Dell's open platform technology allows you to customize a display solution that is tailored to the way your team members meet. All you have to do is arrive, connect and present — it can be that easy.



C8621QT
Dell 86 4K Interactive Touch Monitor
An interactive 4K display for medium to large spaces



C7520QT
Dell 75 4K Interactive Touch Monitor
An interactive 4K display for medium to large spaces



C6522QT
Dell 65 4K Interactive Touch Monitor
An interactive 4K display for small and open spaces

Image size
Resolution
OptiPlex Micro Mounting via:
Touch/Non-Touch
Panel Type
Surface
Speakers
Mount/Stand included
Connectivity

Interactive
85.6 inches / 217.4 cm
4K (3840 x 2160 at 60Hz)
Integrated PC Slot
20 points of touch
In-Plane Switching Glass
Anti-glare, anti-smudge
Built-in dual 20W
Optional
4 x HDMI
1 x DisplayPort
1 x USB Type-C (Power Delivery up to 90W)
7x USB
1 x Audio-Out
1 x RS232
1 x RJ45

Interactive
74.52 inches / 189.3 cm
4K (3840 x 2160 at 60 Hz)
Integrated PC slot
20 points of touch
In-Plane Switching Glass
Anti-glare, anti-smudge
Built-in dual 20W
Optional
3 x HDMI
1 x DisplayPort
1 x VGA
7 x USB
1 x Audio-In/-Out
1 x RS232
1 x RJ45

Interactive
64.53 inches / 163.91 cm
4K (3840 x 2160 at 60Hz)
Integrated PC Slot
20 points of touch
In-Plane Switching Glass
Anti-glare, anti-smudge
Built-in dual 20W
Optional
3 x HDMI
1 x USB Type-C
1 x DisplayPort
7 x USB
1 x Audio-Out
1 x RS232
1 x RJ45



C5522QT
Dell 55 4K Interactive Touch Monitor
An interactive 4K display for small and open spaces



C5519Q
Dell 55 4K Conference Room Monitor
A 4K display for small and open spaces

Image size
Resolution
OptiPlex Micro Mounting via:
Touch/Non-Touch
Panel Type
Surface
Speakers
Mount/Stand included
Connectivity

Interactive
54.6 inches / 138.68 cm
4K (3840 x 2160 at 60Hz)
Integrated PC Slot
20 points of touch
In-Plane Switching Glass
Anti-glare, anti-smudge
Built-in dual 10W
Optional
3 x HDMI
1 x USB Type-C
1 x DisplayPort
7 x USB
1 x Audio-Out
1 x RS232
1 x RJ45

Non-interactive
54.6 inches / 138.68 cm
4K (3840 x 2160 at 60Hz)
Optional bracket
Non-Touch
Vertical Alignment Glass
Anti-glare
Built-in dual 10W
Optional
2 x HDMI
1 x DisplayPort
1 x VGA
4 x USB
1 x Audio-In/-Out
1 x RS232
1 x RJ45

Product availability varies by country. Please contact your Dell representative for more information.

Dell Meeting Space Solutions

DELL C SERIES MONITORS

Dell Meeting Space Solutions is a complete conference room ecosystem, tested and validated to work out of the box by Dell engineers. This solution comes with the small but powerful, **OptiPlex 7080 Micro** pre-installed with your chosen collaboration software system (**Microsoft Teams Rooms** or **Zoom Rooms**), high definition speakers and conference cameras from **Logitech** and superior screen performance of **Dell Large Format Monitors**.

DELL MEETING SPACE SOLUTIONS FOR MICROSOFT TEAMS ROOMS



Small Rooms	Medium Rooms	Large Rooms
Use case: Huddle spaces, team rooms, ideal for 2-4 people collaboration	Use case: Whiteboard sessions, tiger team and staff meetings with 5-9 people.	Use case: Executive conferences, learning spaces, ideal for collaboration meetings with 10-15 people.
Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF	Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF	Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF
Superior screen performance with Dell 55 4K Interactive Touch Monitor C5518QT and Dell 55 4K Conference Monitor C5519Q	Captivate your audience with Dell 75 4K Interactive Touch Monitor C7520QT	Engage in next level presentations with Dell 86 4K Interactive Touch Monitor C8621QT
Studio quality video, sound and management with Logitech Tap and Logitech Meetup ConferenceCam .	Studio quality video, sound and management with Logitech Tap and Logitech Rally ConferenceCam	Studio quality video, sound and management with Logitech Tap and Logitech Rally Plus ConferenceCam with Rally mic, pod and hub
3 Year Warranty with Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices	3 Year Warranty with Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices	3 Year Warranty with Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices

DELL MEETING SPACE SOLUTIONS FOR ZOOM ROOMS



Small Rooms	Medium Rooms	Large Rooms
Use case: Huddle spaces, team rooms, ideal for 2-4 people collaboration	Use case: Whiteboard sessions, tiger team and staff meetings with 5-9 people.	Use case: Executive conferences, learning spaces, ideal for collaboration meetings with 10-15 people
Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF	Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF	Powered by the smallest, most powerful desktop Dell OptiPlex 7080 XE MFF
Superior screen performance with Dell 55 4K Interactive Touch Monitor C5518QT and Dell 55 4K Conference Monitor C5519Q	Captivate your audience with Dell 75 4K Interactive Touch Monitor C7520QT	Engage in next level presentations with Dell 86 4K Interactive Touch Monitor C8621QT
Studio quality video, sound and management with Logitech Tap and Logitech Meetup ConferenceCam .	Studio quality video, sound and management with Logitech Tap and Logitech Rally ConferenceCam .	Studio quality video, sound and management with Logitech Tap and Logitech Rally Plus ConferenceCam with Rally mic, pod and hub
3 Year Warranty Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices	3 Year Warranty Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices	3 Year Warranty Optional ProDeploy and ProSupport 2 Year Warranty for Logitech Devices

Product availability varies by country. Please contact your Dell representative for more information.

Dell Video Conferencing Monitors

DELL C SERIES MONITORS

Transform your virtual experience with a high definition **5MP IR camera**.

Save time signing in with secure, **Windows Hello™¹²** facial recognition that's faster than remembering and typing your password.

Say what you need and let **Cortana** do the rest with hands-free commands.

Comfort meets collaboration with **ComfortView Plus** — an always-on, built-in low blue light screen.

Tilt, swivel and adjust the height of your monitor for a comfortable setup all day long.

TRANSFORM YOUR VIRTUAL MEETING EXPERIENCE WITH THE WORLD'S FIRST VIDEO CONFERENCING MONITORS CERTIFIED FOR MICROSOFT TEAMS¹¹



C2422HE
Dell 24 Video Conferencing Monitor

Viewable Image Size (inches / cm)
Maximum Resolution
Aspect Ratio
Panel Type, Surface
Connectivity

23.8 inches / 61.13 cm
FHD (1920 x 1080 at 60Hz)
16:9
In-Plane Switching (IPS) Technology, Anti-glare
1 x DP 1.2; 1 x HDMI 1.4; 1 x USB Type-B (USB 3.2 Gen1 upstream port); 1 x USB Type-C (Alternate mode with DisplayPort 1.2, USB 3.2 Gen1 upstream port, Power Delivery up to 90W); 1 x USB Type-C downstream (15W); 1 x USB 3.2 Gen1 (5Gbps); 1 x DP (Out) with MST; 2 x super speed USB 5Gbps (USB 3.2 Gen1); 1 x super speed USB 5Gbps (USB 3.2 Gen1) with BC 1.2 charging capability at 2 A (max); 1 x 3.5 mm headphone jack; 1 x RJ45

Design Features
Adjustability

Height adjustable stand (140 mm), tilt, swivel and pivot



C2722DE
Dell 27 Video Conferencing Monitor

27 inches / 68.59 cm
2560 x 1440 at 60Hz QHD
16:9
In-Plane Switching (IPS) Technology, Anti-glare
1 x DP 1.4; 1 x HDMI 1.4; 1 x USB Type-B (USB 3.2 Gen1 upstream port); 1 x USB Type-C (Alternate mode with DisplayPort 1.4, USB 3.2 Gen1 upstream port, Power Delivery up to 90W); 1 x USB Type-C downstream (15W); 1 x USB 3.2 Gen1 (5Gbps); 1 x DP (Out) with MST; 2 x super speed USB 5Gbps (USB 3.2 Gen1); 1 x super speed USB 5Gbps (USB 3.2 Gen1) with BC 1.2 charging capability at 2 A (max); 1 x 3.5 mm headphone jack; 1 x RJ45

Height adjustable stand (120 mm), tilt, swivel and pivot



C3422WE
Dell 34 Curved Video Conferencing Monitor

34.14 inches / 86.71 cm
3440 x 1440 at 60Hz
21:9 / 3800R Curvature
In-Plane Switching (IPS) Technology, Anti-glare
1 x DP 1.2; 1 x HDMI 2.0; 1 x USB Type-B (USB 3.2 Gen1 upstream port); 1 x USB Type-C (Alternate mode with DisplayPort 1.2, USB 3.2 Gen1 upstream port, Power Delivery up to 90W); 1 x USB Type-C downstream (15W); 1 x USB 3.2 Gen1 (5Gbps); 2 x super speed USB 5Gbps (USB 3.2 Gen1); 1 x super speed USB 5Gbps (USB 3.2 Gen1) with BC 1.2 charging capability at 2 A (max); 1 x 3.5 mm headphone jack; 1 x RJ45

Height-adjustable (up to 120 mm) tilt, swivel and slant adjust

Product availability varies by country. Please contact your Dell representative for more information.

Dell Portable Monitor

DELL C SERIES MONITORS

Easily set up your monitor with a single USB-C cable transmitting both video and power for efficient plug and play and quick transitions. Furthermore, work without disruption with our **power pass-through¹³** feature.

Experience greater mobility with the **flexible USB-C cable** designed to move smoothly and efficiently. This soft, flexible wire is easy to carry and fits in any bag.

This monitor features a continuous tilt stand that bends **from 10 to 90 degrees** — enough flexibility to keep up with your work.

Seamlessly work together with a 14" FHD portable monitor designed for easy sharing and presenting.

DUAL-SCREEN PRODUCTIVITY ON THE GO WITH THE DELL 14 PORTABLE MONITOR – C1422H

The ultimate laptop companion: Enjoy the benefit of dual screen productivity anywhere with this ultralight, ultrathin 14" FHD monitor, weighing less than a pound and a half and measuring less than a quarter-inch thick, at its slimmest.

Seamless views: Expand your screen with this FHD panel featuring In-Plane Switching (IPS) technology providing wide viewing angles, perfect for collaboration.

Captivating front-of-screen: Light up your display with easy-access brightness controls that give you fantastic pictures and video — indoors or outdoors.



C1422H
Dell 14 Portable Monitor

Viewable Image Size (inches / cm)
Maximum Resolution
Aspect Ratio
Panel Type, Surface
Connectivity
Design Features
Adjustability
Other

14 inches / 35.56 cm
FHD (1920 x 1080 at 60Hz)
16:9
In-Plane Switching (IPS) Technology, Anti-glare
2 x USB-C Type-C (Alt Mode DP 1.2 HBR)
Continuous tilt stand from 10° to 90°
ComfortView

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors

Developed to be a productivity powerhouse, the **Dell P Series monitors** include specialty displays with multi-client capabilities, video conferencing certifications, 4K and touch. Dell P Series Monitors enhance work performance with features made to improve efficiency and organize multiple tasks. See the difference when a monitor is designed with efficiency and quality in mind.

PRODUCTIVITY THAT FITS YOU

- Consistent colors across wide viewing angles with In-Plane Switching (IPS) technology.
- Resolution options that cover the whole spectrum from FHD up to Ultra HD 4K.
- Easy multitasking features with Dell Display Manager.
- Smaller base and improved cable management for a clutter-free workspace.



MASTERING USABILITY AND RELIABILITY

- Adjustable height, pivot, tilt and swivel for optimal comfort.
- TÜV certified, flicker-free screens with ComfortView to reduce up to 60% of harmful blue light emissions⁶ for extended viewing periods.
- Customize with VESA compatible mounts and stands.
- Stringent reliability testing from the world's #1 monitor company.*

ENJOY ALL IN ONE CONNECTIVITY WITH USB-C

- **All in one cable:** This single cable solution enables transmission of power, data, video and audio. The same cable charges your connected device with up to 65W of power, safeguarded with Dell's built-in surge protection.
- **Connect to productivity:** Easily daisy chain up to two QHD or FHD monitors with DisplayPort 1.2 output.
- **Ideal for shared workspaces:** USB-C connectivity allows users to conveniently connect to a variety of devices or switch seamlessly between users.



Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors

Enhance work performance with these larger-sized, high resolution displays.



P3421W
Dell 34 Curved USB-C Monitor

See more and achieve more on this 34" ultrawide WQHD curved screen

Viewable Image Size (inches / cm)	34.14 inches / 86.72 cm
Maximum Resolution	WQHD (3440 X 1440 at 60Hz)
Aspect Ratio	21:9
Panel Type, Surface	In-Plane Switching (IPS) technology
Backlight Technology	White LED Edgelight System
Connectivity	1 x DisplayPort 1.2, 1 x HDMI 2.0, 1 x USB Type-C upstream port with up to 65W of power delivery, 1 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) upstream port, 2 x USB 2.0 downstream port - back, 2 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) - Bottom
Design Features	
Adjustability	Height-adjustable stand (150 mm), Tilt (-5° to 21°), Swivel (-30° to 30°)
Other	USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView ⁹



P3222QE
Dell 32 4K USB-C Hub Monitor

Experience a 4K, front of screen experience with this sleek, 31.5-inch productivity hub monitor. Featuring ComfortView Plus

Viewable Image Size (inches / cm)	31.5 inches / 80.001 cm
Maximum Resolution	3840 x 2160 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology
Backlight Technology	White LED Edgelight System
Connectivity	1 x DP 1.4 (in) port, 1 x HDMI 2.0 port, 1 x USB-C (USB 3.2 Gen 1 (5Gbps) upstream port, with up to 65W of power delivery), 4 x Super speed USB 5Gbps (USB 3.2 Gen1) downstream port, 1 x RJ45 port
Design Features	
Adjustability	Height-adjustable stand (up to 150 mm), tilt, swivel and pivot
Other	USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView Plus ⁹



P3221D
Dell 32 USB-C Monitor

This vast 32.5" QHD monitor with fantastic views proves that one display is all you need

Viewable Image Size (inches / cm)	31.5 inches / 80.09 cm
Maximum Resolution	QHD 2560x1440 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x DP (in) port, 1 x HDMI port, 1 x USB Type-C (USB 3.2 Gen1 (5Gbps) upstream port, Power Delivery up to 65 W), 2 x USB 2.0 downstream port, 2 x USB 3.2 Gen1 (5Gbps) downstream port
Design Features	
Adjustability	Height-adjustable (up to 150 mm), tilt, swivel and pivot
Other	USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView ⁹



P2721Q
Dell 27 4K USB-C Monitor

Marvel at your workspace with brilliant 27" 4K monitor with more than 8 million pixels

Viewable Image Size (inches / cm)	26.96 inches / 68.46 cm
Maximum Resolution	4K (3840 x 2160 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x HDMI port version 2.0, 1 x DisplayPort version 1.2, 1 x USB Type-C (Alternate mode with DisplayPort 1.2, USB 3.2 Gen1 (5Gbps) upstream port, Power Delivery up to 65 W), 2 x High-Speed USB 2.0 downstream ports, 2 x USB 3.2 Gen1 (5Gbps) downstream ports
Design Features	
Adjustability	Height-adjustable (125 mm), tilt, swivel and pivot
Other	USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView ⁹

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors

Push your productivity with these 27-inch monitors featuring advanced connectivity and comfort features.



P2720DC
Dell 27 USB-C Monitor

Transform your productivity with this reliable 27" QHD monitor with USB-C and multi-tasking features

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	2560 x 1440 at 60Hz QHD
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	USB-C Port, HDMI 1.4 Port, DisplayPort 1.2, DisplayPort 1.2 Out, 2 x USB 3.0 ports (side); 2 x USB 2.0 ports (bottom)
USB Ports: rear/side/bottom	

Design Features

Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Dell Express Daisy Chaining allows connecting two QHD monitors automating manual OSD adjustments. Slimmer profile and base, 3 sided ultrathin bezels, improved cable management, TÜV-Certified flicker-free with ComfortView ⁹



P2722HE
Dell 27 USB-C Hub Monitor

Stay productive no matter where you work with a 27" FHD USB-C hub monitor with ComfortView Plus

Viewable Image Size (inches / cm)	27 inches / 68.6 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x HDMI port version 1.4 (HDCP 1.4), 1 x DisplayPort version 1.2 (HDCP 1.4), 1 x USB Type-C upstream port (Alternate mode with DisplayPort 1.2 with power delivery up to 65W), 4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port, 1 x RJ45 port

Adjustability	Height-adjustable stand (up to 150 mm), tilt, swivel and pivot
Other	USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView Plus ⁹



P2719HC
Dell 27 USB-C Monitor

Push your productivity with this 27" monitor featuring USB-C connectivity

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	USB-C connectivity; DisplayPort 1.2, DisplayPort out, HDMI; 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)

Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slimmer profile, smaller base, 3-sided ultra-thin bezels, improved cable management, TÜV-Certified flicker-free screen with ComfortView ⁹



P2720D
Dell 27 Monitor

Enhance productivity with this 27" QHD monitor with unmatched reliability

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	2560 x 1440 at 60Hz QHD
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	HDMI 1.4 Port, DisplayPort 1.2, 1 x USB 3.0 port (upstream); 2 x USB 3.0 ports (side); 2 x USB 2.0 ports (bottom)
USB Ports: rear/side/bottom	

Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slimmer profile and base, 3 sided ultrathin bezels, improved cable management, TÜV-Certified flicker-free with ComfortView ⁹



P2722H
Dell 27 Monitor

Stay productive no matter where you work with a 27" FHD monitor with ComfortView Plus

Viewable Image Size (inches / cm)	27 inches / 68.6 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x HDMI 1.4 (HDCP 1.4), 1 x DisplayPort 1.2 (HDCP 1.4), 1 x VGA, 1 x SuperSpeed USB 5Gbps (USB3.2 Gen 1) upstream, 4 x SuperSpeed USB 5Gbps (USB3.2 Gen 1)

Adjustability	Height-adjustable stand (up to 150 mm), tilt, swivel and pivot
Other	TÜV-Certified flicker-free screen with ComfortView Plus ⁹



P2719H
Dell 27 Monitor

Optimize your workspace with this efficient, thin profile, 27" monitor

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	DisplayPort 1.2, HDMI 1.4, VGA; 1 x USB 3.0 upstream port (bottom); 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)

Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slimmer profile, smaller base, 3-sided ultra-thin bezels, improved cable management, TÜV-Certified flicker-free screen with ComfortView ⁹

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors

See the difference with these 24-inch monitors designed with comfort and efficiency in mind.



P2421DC
Dell 24 USB-C Monitor

Transform your productivity with this reliable 24" QHD monitor with USB-C and multi-tasking features

Viewable Image Size (inches / cm)	23.8 inches / 60.45 cm
Maximum Resolution	2560 x 1440 at 60Hz QHD
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	USB-C Port, HDMI 1.4 Port, DisplayPort 1.2, DisplayPort 1.2 Out; 2 x USB 3.0 ports (side); 2 x USB 2.0 ports (bottom)
USB Ports: rear/side/bottom	

Design Features

Adjustability Height-adjustable (130 mm), tilt, swivel and pivot

Other

Dell Express Daisy Chaining allows connecting two QHD monitors automating manual OSD adjustments. Slimmer profile and base, 3 sided ultrathin bezels, improved cable management, TÜV-Certified flicker-free with ComfortView⁹



P2422HE
Dell 24 USB-C Hub Monitor

Stay productive no matter where you work with a 23.8" FHD USB-C hub monitor with ComfortView Plus

Viewable Image Size (inches / cm)	24.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 X 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x HDMI port version 1.4 (HDCP 1.4), 1 x DisplayPort version 1.2 (HDCP 1.4), 1 x DisplayPort (Out) with MST (HDCP 1.4), 1 x USB Type-C upstream port (Alternate mode with DisplayPort 1.2 with power delivery up to 65W), 4 x SuperSpeed USB 5Gbps (USB 3.2 Gen1) downstream port, 1 x RJ45 port

Adjustability Height-adjustable stand (up to 150 mm), tilt, swivel and pivot

Other USB-C connectivity (up to 65W power delivery), TÜV-Certified flicker-free screen with ComfortView Plus⁹



P2419HC
Dell 24 USB-C Monitor

Connect to productivity with this 23.8" display with included USB-C cable

Viewable Image Size (inches / cm)	23.8 inches / 60.45 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	USB-C connectivity; DisplayPort 1.2, DisplayPort out, HDMI 1.4, 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)

Adjustability Height-adjustable (130 mm), tilt, swivel and pivot

Other Slim profile and base, 3 sided ultra-thin bezel, improved cable management, TÜV-Certified flicker-free screen with ComfortView⁹



P2421D
Dell 24 Monitor

Enhance productivity with a 24" QHD monitor with unmatched reliability

Viewable Image Size (inches / cm)	23.8 inches / 60.45 cm
Maximum Resolution	2560 x 1440 at 60Hz QHD
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	HDMI 1.4 Port, DisplayPort 1.2, 1 x USB 3.0 port (upstream); 2 x USB 3.0 ports (side); 2 x USB 2.0 ports (bottom)
USB Ports: rear/side/bottom	

Design Features

Adjustability Height-adjustable (130 mm), tilt, swivel and pivot

Other

Slimmer profile and base, 3 sided ultrathin bezels, improved cable management, TÜV-Certified flicker-free with ComfortView⁹



P2422H
Dell 24 Monitor

Stay productive no matter where you work with a 23.8" FHD monitor with ComfortView Plus

Viewable Image Size (inches / cm)	24.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 X 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	White LED Edgelight System
Connectivity	1 x HDMI 1.4 (HDCP 1.4), 1 x DisplayPort 1.2 (HDCP 1.4), 1 x VGA, 1 x SuperSpeed USB 5Gbps (USB3.2 Gen 1) upstream, 4 x SuperSpeed USB 5Gbps (USB3.2 Gen 1)

Adjustability Height-adjustable stand (up to 150 mm), tilt, swivel and pivot

Other TÜV-Certified flicker-free screen with ComfortView Plus⁹



P2419H
Dell 24 Monitor

With a thin profile and small monitor base, you can free up valuable desk space

Viewable Image Size (inches / cm)	23.8 inches / 60.45 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	DisplayPort 1.2, HDMI 1.4, VGA; 1 x USB 3.0 upstream port (bottom); 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)

Adjustability Height-adjustable (130 mm), tilt, swivel and pivot

Other Slim profile and base, 3 sided ultra-thin bezel, improved cable management, TÜV-Certified flicker-free screen with ComfortView⁹

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors



P2421
Dell 24 Monitor

See more and scroll less with 11% more screen real estate on a tall 24", 16:10 WUXGA monitor

Viewable Image Size (inches / cm)	24.10 inches / 61.13 cm
Maximum Resolution	1920 x 1200 at 60Hz
Aspect Ratio	16:10
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare
Backlight Technology	LED backlight
Connectivity	HDMI 1.4 Port, DisplayPort 1.2, DVI, 1 x VGA;
USB Ports: rear/side/bottom	1 x USB 3.0 upstream, 2 x USB 3.0 port (side), 2 x USB 2.0 ports (bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slimmer profile and base, 3-sided ultrathin bezels, improved cable management, TÜV-Certified flicker-free with ComfortView ⁹



P2418HT
Dell 24 Touch Monitor

Work efficiently without sacrificing comfort on the world's best 23.8" touch monitor

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED-backlit LCD monitor with touchscreen
Connectivity	1 x DisplayPort 1.2, 1 x HDMI 1.4, 1 x VGA, - Bottom 1 x Analog 2.0 audio line out (3.5mm jack), 1 x USB 3.0 port - Upstream, 2 x USB 3.0 ports - Side (including 1 x USB 3.0 BC1.2 charging port), 2 x USB 3.0 ports
Design Features	
Adjustability	Articulating stand: Swivel (-30° to 30°), extended tilt and height-adjustable (-5°- 60°)
Other	10-point touch feature, Advanced In-Cell Touch technology, anti-glare screen



P2418HZ
Dell 24 Monitor for Video Conferencing

Certified for Microsoft®Skype® for Business and Windows Hello™¹²

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Backlight Technology	LED
Connectivity	1 x DisplayPort 1.2, 1 x HDMI 1.4, 1 x VGA, 1 x Headphone-out/ Microphone-in combo jack, 1 x USB 3.0 port upstream, 2 x USB 3.0 ports (side) (including 1 x USB 3.0 BC1.2 charging port), 2 x USB 3.0 ports (bottom)
Design Features	
Adjustability	Height-adjustable (125 mm), tilt, swivel and pivot
Other	2MP FHD infrared sensor camera, noise cancelling mic and dual 5W front firing speakers, TÜV-Certified flicker-free screen with ComfortView ⁹

Dell P Series Monitors

Purposefully made for comfort and convenience.



P2319H
Dell 23 Monitor

Transform how you work with wide viewing angles enabled by IPS technology

Viewable Image Size (inches / cm)	23 inches / 58.42 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare LED backlight
Connectivity	DisplayPort 1.2, HDMI 1.4, VGA; 1 x USB 3.0 upstream port (bottom); 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slim profile and base, 3 sided ultra-thin bezel, improved cable management, TÜV-Certified flicker-free screen with ComfortView ⁹



P2222H
Dell 22 Monitor

Stay productive no matter where you work with a 21.5-inch FHD monitor with ComfortView Plus

Viewable Image Size (inches / cm)	21.5 inches / 54.61 cm
Maximum Resolution	FHD (1920 X 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) Technology, Anti-glare White LED Edgelight System
Connectivity	1 x HDMI 1.4 (HDCP 1.4), 1 x DisplayPort 1.2 (HDCP 1.4), 1 x VGA, 1 x SuperSpeed USB 5Gbps (USB3.2 Gen 1) upstream, 4 x SuperSpeed USB 5Gbps (USB3.2 Gen 1)
Design Features	
Adjustability	Height-adjustable stand (up to 150 mm), tilt, swivel and pivot
Other	TÜV-Certified flicker-free screen with ComfortView Plus ⁹



P2219H
Dell 22 Monitor

Optimize your work with a thin profile 22" display with small monitor base

Viewable Image Size (inches / cm)	21.5 inches / 54.61 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare LED backlight
Connectivity	DisplayPort 1.2, HDMI 1.4, VGA; 1 x USB 3.0 upstream port (bottom); 2 x USB 3.0 downstream ports (side); 2 x USB 2.0 downstream ports (bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Slim profile and base, 3 sided ultra-thin bezel, improved cable management, TÜV-Certified flicker-free screen with ComfortView ⁹



P2217
Dell 22 Monitor

Enhanced viewing experience purposefully designed for comfort and convenience

Viewable Image Size (inches / cm)	22 inches / 55.9 cm
Maximum Resolution	1680 x 1050 at 60Hz
Aspect Ratio	16:10
Panel Type, Surface	TN (Twisted Nematic)
Connectivity	DisplayPort 1.2, HDMI 1.4, 2 x USB 3.0 (side), 2 x USB 2.0 (bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	16:10 aspect ratio provides 11% more vertical screen, TÜV-Certified flicker-free screen with ComfortView ⁹



P2018H
Dell 20 Monitor

Full adjustability with multiple connectivity

Viewable Image Size (inches / cm)	19.5 inches / 49.41 cm
Maximum Resolution	HD+ (1600 x 900 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic)
Connectivity	VGA, DisplayPort 1.2, HDMI 1.4, USB 3.0 (port upstream), 2 x USB 3.0 (2 at side), 2 x USB 2.0 (2 at bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	TÜV-Certified flicker-free screen with ComfortView ⁹



P1917S
Dell 19 Monitor

Brings greater productivity to the workplace with added user comfort and convenience

Viewable Image Size (inches / cm)	19 inches / 48 cm
Maximum Resolution	SXGA (1280 x 1024 at 60Hz)
Aspect Ratio	5:4
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2, HDMI 1.4, USB 3.0 (port upstream), 2 x USB 3.0 (side), 2 x USB 2.0 (bottom)
Design Features	
Adjustability	Height-adjustable (130 mm), tilt, swivel and pivot
Other	Smallest screen size in P series, TÜV-Certified flicker-free screen with ComfortView ⁹

Product availability varies by country. Please contact your Dell representative for more information.

Dell E Series Monitors

Dell E Series Monitors offer a comprehensive suite of affordable, energy efficient displays with upgraded essentials designed to meet everyday business needs.

Latest models feature a thinner profile with height adjustability and integrated speakers[†] in a space-saving design, made to reduce clutter and preserve valuable desk space.

Built to be reliable, E Series monitors adhere to stringent quality standards and meet regulatory standards such as ENERGY STAR®, EPEAT® and TCO certified (varies by model).

DEPENDABLE BY DESIGN

- Thin profile and improved cable management create a smaller footprint for a spacious, more productive desk.
- Select models offer height adjustability and tilt for improved comfort and ergonomics.
- Focus on incoming notifications with integrated speakers[†].
- Versatile portfolio with standard and narrow bezel border designs with screen sizes ranging from 17" to 27"



ECO-CONSCIOUS INSIDE AND OUT

- E Series monitors meet stringent, energy efficiency requirements while in sleep on and off modes.
- Save energy with PowerNap, a Dell Display Manager feature that dims or puts the monitor to sleep when not in use.

UNSURPASSED RELIABILITY AND COMMITMENT

- Advanced Exchange Service to minimize downtime
- Stringent quality and reliability testing such as thermal, shock and vibration for certified dependability.



Product availability varies by country. Please contact your Dell representative for more information.

Dell E Series Monitors



New! E2722HS
Dell 27 Monitor

Upgrade your essentials with height adjustability and integrated speakers

Viewable Image Size (inches / cm)	27 inches / 68.60 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI, DisplayPort 1.2
Design Features	
Adjustability	Height-adjustable and tilt
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



New! E2722H
Dell 27 Monitor

The essentials you need to be more productive

Viewable Image Size (inches / cm)	27 inches / 68.60 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2720HS
Dell 27 Monitor

Upgrade your essentials with height adjustability and integrated speakers

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI
Design Features	
Adjustability	Height-adjustable and tilt
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2720H
Dell 27 Monitor

Elevate your everyday display with an affordable monitor for your daily workflow

Viewable Image Size (inches / cm)	27 inches / 68.59 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



New! E2422HS
Dell 24 Monitor

Upgrade your essentials with height adjustability and integrated speakers

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI, DisplayPort 1.2
Design Features	
Adjustability	Height-adjustable and tilt
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible

Dell E Series Monitors



New! E2422HN **Dell 24 Monitor**

The essentials you need to be more productive

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



New! E2422H **Dell 24 Monitor**

The essentials you need to be more productive

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2421HN **Dell 24 Monitor**

From wide viewing angles to rigorous reliability testing, this 23.8" display has every feature you value

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2420HS **Dell 24 Monitor**

Upgrade your essentials with height adjustability and integrated speakers

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, HDMI
Design Features	
Adjustability	Height-adjustable and tilt
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2420H **Dell 24 Monitor**

Elevate your everyday display with an affordable monitor for your daily workflow

Viewable Image Size (inches / cm)	23.8 inches / 60.47 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible

Dell E Series Monitors



E2318H Dell 23 Monitor

Super screen clarity with all the essential features that drive productivity in everyday office demands

Viewable Image Size (inches / cm)	23.0 inches / 58.42 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	In-Plane Switching (IPS) technology, Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



New! E2222HS Dell 22 Monitor

Upgrade your essentials with height adjustability and integrated speakers

Viewable Image Size (inches / cm)	21.45 inches / 54.48 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	VA (Vertical Alignment), Anti-glare
Connectivity	VGA, HDMI, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



New! E2222H Dell 22 Monitor

The essentials you need to be more productive

Viewable Image Size (inches / cm)	21.45 inches / 54.48 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	VA (Vertical Alignment), Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, Wide viewing angle, VESA® mount compatible



E2220H Dell 22 Monitor

Elevate your everyday display with an affordable monitor for your daily workflow

Viewable Image Size (inches / cm)	21.5 inches / 54.68 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, VESA® mount compatible



E2221HN Dell 22 Monitor

Featuring an elegant design, Full HD resolution and HDMI connectivity

Viewable Image Size (inches / cm)	21.5 inches / 54.68 cm
Maximum Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA, HDMI
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, VESA® mount compatible



E2216HV Dell 22 Monitor

A 21.5" display with every office essentials such as Full HD clarity and tilt adjustability

Viewable Image Size (inches / cm)	21.5 inches / 54.61 cm
Maximum Resolution	FHD (1920 x 1080 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA
Design Features	
Adjustability	Tilt only
Other	VESA® mount compatible

Dell E Series Monitors



E2020H
Dell 20 Monitor

Elevate your everyday display with an affordable monitor for your daily workflow

Viewable Image Size (inches / cm)	19.5 inches / 49.53 cm
Maximum Resolution	1600 x 900 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, VESA® mount compatible



E2016HV
Dell 20 Monitor

HD quality display at multiple angles with VESA-mount compatibility and tilt options

Viewable Image Size (inches / cm)	19.5 inches / 49.41 cm
Maximum Resolution	HD+ (1600 x 900 at 60Hz)
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA
Design Features	
Adjustability	Tilt only
Other	VESA® mount compatible



E1920H
Dell 19 Monitor

Elevate your everyday display with an affordable monitor for your daily workflow

Viewable Image Size (inches / cm)	18.5 inches / 47.02 cm
Maximum Resolution	1366 x 768 at 60 Hz
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView, VESA® mount compatible



E1916HV
Dell 19 Monitor

View your applications, spreadsheets and more on 18.5 inches of 1366x768 HD clarity

Viewable Image Size (inches / cm)	18.51 inches / 47.01 cm
Maximum Resolution	1366 x 768 at 60Hz
Aspect Ratio	16:9
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA
Design Features	
Adjustability	Tilt only
Other	VESA® mount compatible



E1715S
Dell 17 Monitor

This compact, 5:4 aspect ratio monitor can fit into smaller spaces and designed with simple connections and tilt adjustability

Viewable Image Size (inches / cm)	17 inches / 43.2 cm
Maximum Resolution	SXGA (1280 x 1024 at 60Hz)
Aspect Ratio	5:4
Panel Type, Surface	TN (Twisted Nematic), Anti-glare
Connectivity	VGA, DisplayPort 1.2
Design Features	
Adjustability	Tilt only
Other	LED power indicator, Image Enhance, PowerNap

Dell Monitor Arms and Stand

Maximize your workspace with a small footprint with these stands and arms that fit your Dell monitors perfectly, offering great cable management and a clutter-free desk. Easily snap a monitor into place without screws^{††} with Dell Quick Release.



Dell Single Monitor Arm – MSA20

19" to 27" (monitor mounting only). For PC and monitor mounting, please refer to the compatibility matrix.

-/+ 90°

-35° to +80°

Switchable 180° and 360° at base and joint.
180° at monitor.

10.5" (26.6 mm)

Cable management slot on the upper and lower arms

N/A



Dell Dual Monitor Arm – MDA20

19" to 38" (monitor mounting only). For PC and monitor mounting, please refer to the compatibility matrix.

-/+ 90°

-35° to +80°

Switchable 180° and 360° at base and joint.
180° at monitor.

10.5" (26.6 cm)

Cable management slot on the upper and lower arms

21.6" (548 mm)



Dell Dual Monitor Stand – MDS19

Up to 27" monitors
4.9-13.2 lbs. (2.2-6.0 kg)

Portrait or landscape

-5° to +24°

-10° to +15° (Individual)

5.1" (13.0 cm)

Cable clips and the cable management slot

N/A

Supported Monitors

Pivot

Tilt

Swivel

Height Adjustability

Cable management

Depth adjustment

Supported Monitors

Pivot

Tilt

Swivel

Height Adjustability

Cable management

Depth adjustment

Product availability varies by country. Please contact your Dell representative for more information.

Dell Display Manager



MORE WAYS
TO MULTITASK



EASY TO
CONFIGURE



EFFICIENT
MANAGEABILITY

Dell Display Manager enhances everyday productivity through comprehensive management tools, giving you optimal front of screen experience, efficient display management and easy, effortless multi-tasking.

Learn more and download Dell Display Manager at dell.com/ddm today.

Dell Display Manager

PRODUCTIVITY MADE EASY



MORE WAYS TO MULTITASK

Up to 38 layouts: With Dell Display Manager's **Easy Arrange** you can organize multiple applications on your screen and snap them into a template of your choice, making multitasking easy and effortless.

Seamless transitions: Rapidly restore previous application windows when reconnecting with **Auto-restore**, a feature that remembers where you left off.

Extend your viewable workspace: **Display Matrix Control** expands your view spanning up to 16 monitors.

Multi-screen and multi-PC: Display content from different PC resources with **picture-in-picture** and **newly enhanced picture-by-picture** functionality on select models.



EASY TO CONFIGURE

Create your best work: Adjust brightness, contrast and resolution directly through the software for an optimal front of screen experience.

Convenient keys: Shortcut keys available to easily configure display management settings so you can get to work faster.

Simplified commands: Streamline KVM configuration with step by step instructions from Dell Display Manager's KVM wizard software.¹⁴



EFFICIENT MANAGEABILITY

Manage your display inventory: Generate an asset management report to tag display ID and settings within your business environment.

Control your display environment from anywhere: Remotely manage your display environment with OSD, power and active input controls.

PowerNap: Manage energy consumption via power management settings.



Dell Monitors

Innovative, award-winning Dell monitors offer a broad selection to fit your needs and budget, with key features to help boost productivity, unsurpassed reliability, and the industry's most advanced monitor technologies.

Product availability varies by country. Please contact your Dell representative for more information.

* Dell monitors are #1 Worldwide for 8 consecutive years (2013, Q2 to 2021, Q1)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q1 2021.

** Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.

*** Premium Panel Exchange: Available on Dell UltraSharp and P-series monitors. If one bright pixel is found on the monitor, this coverage ensures a free monitor replacement during the Limited Warranty period.

† Select models.

†† Applicable to Dell UltraSharp and P-series monitors.

1 Source: A Forrester Consulting Paper Commissioned by Dell: Exploring the Role of Monitors in Improving Employee Experience, July 2019. Actual results may vary. Full report here: https://www.dell.com/resources/en-us/asset/white-papers/products/electronics-accessories/exploring_the_role_of_monitors_in_improving_employee_experience_forrester_whitepaper.pdf.external

2 Source: A study conducted by Forrester Consulting on behalf of Dell Technologies, Optimize your hybrid workforce with flexible work-from-home policies and monitors. June 2020 <https://www.delltechnologies.com/resources/en-us/asset/presentations/products/electronics-accessories/forrester-wfh-optimize-your-hybrid-workforce-spotlight-employee-video.mp4.external>

3 Source: A Forrester Consulting Whitepaper Commissioned by Dell: Optimize Your Hybrid Workforce with Flexible Work from Home Policies and Monitors, July 2020. Actual results may vary. Full Report here: <https://www.dell.com/resources/en-us/asset/white-papers/products/electronics-accessories/dell-monitors-wfh-forrester-spotlight.pdf.external>

4 Source: A Hot Tech Vision and Analysis Study Commissioned by Dell: Examining the Effects of External Monitors on Remote Worker Productivity, June 2020. Actual results may vary. Full report: <https://www.dell.com/resources/en-us/asset/white-papers/products/electronics-accessories/dell-monitor-productivity-study-hot-tech.pdf.external>

5 Based on Dell internal analysis, as of September 2019.

6 3rd party external colorimeters, are not included; sold separately.

7 Dell's software development kit enables you to customize Dell UltraSharp Monitors to your preferred in-house custom system, allowing you to easily manage color space and control video layout.

8 As defined by UHD Alliance (www.uldalliance.org)

9 TÜV Certified. For more details, visit www.tuv.com.

10 Source: A Forrester Consulting Thought Leadership Spotlight Commissioned by Dell Technologies: How Monitors Deepen Your Employee Experience and Support Your Distributed Workforce, July 2020

11 Based on Dell analysis of publicly available information of competitive desktop monitors, October 2020.

12 Windows Hello requires specialized hardware, including fingerprint reader, illuminated IR sensor or other biometric sensors.

13 Requires power adapter not provided in the box.

14 KVM functionality available only on select models.

© 2021 Dell Inc. All rights reserved.

Trademarks or trade names may be used in this document to refer to either the entities claiming the marks and names of their products. Dell disclaims proprietary interest in the marks and names of others. Reproduction in any manner whatsoever without express written permission from Dell is strictly forbidden. Product specifications may change without notice. Dell cannot be responsible for errors or omissions in typography or photography.

v.15 08/2021